



Mulch film

●● Black Cast - Embossed C 801

Film usage	Mulch film
Width	Up to 2.5 meter
Thickness	25 micron
Length	As required

		Test method	Units	Values
Tensile strength at break	MD	ASTM D-882	MPa	27
	TD		MPa	26
Elongation at break	MD		%	450
	TD		%	520
Tear resistance	MD	ASTM D-1922	Gr./mm.	9000
	TD		Gr./mm	14000
Falling dart drop impact		ASTM D-1709	Gram	300

Light transmission in PAR-Clear middle part	%	ASTM D-1003	<1.0
			Typical values

